"Weidar"
Dicloren
Suppositories

POISON	毒藥
RACUN	ยาพิษ

Lot No.:

EXP. Date:

【Dosage and Administration】:
For rectal administration only.
Children (above 1 year) 0.5-2mg/kg body weight daily in 2 or 3 divided doses, depending on severity of the condition.
Adults 25-50mg (2-4 suppositories) 2 or 3 times daily (up to maximum daily dose of 150mg).


Stored between 15℃ to 30℃.
Protect from light and moisture.

WEIDAR®
衛達

"Weidar"
Dicloren
Suppositories
12.5mg

10 SUPPS.

WEIDAR CHEM. & PHARM. CO., LTD.
NO. 21, 23rd Road, Taichung Ind. Park,
Taichung, 40813, Taiwan
Importer (Singapore):
Goldplus Universal Pte Ltd.


4 717818 068028
【INDICATIONS】:
Chronic rheumatoid arthritis, arthritis deformans, lumbago, post-operative pain and inflammation.
SG Reg. No.:SIN11862P
TW Reg. No.:DOH-PM-032800
GMP G-1889
"Weidar"
Dicloren
Suppositories
12.5mg
WEIDAR
衛達
【COMPOSITIONS】:
Each Suppository contains:
Diclofenac Sodium.....12.5mg
WEIDAR CHEM. & PHARM. CO., LTD.
NO. 21, 23rd Road, Taichung Ind. Park,
Taichung, 40813, Taiwan
Importer (Singapore):
Goldplus Universal Pte Ltd
"Weidar"
Dicloren
Suppositories