


Augmentin
375 mg
Amoxicillin trihydrate
+ Potassium clavulanate
For each dose, press
other side to release
your tablet
1000000143205


Augmentin
375 mg
Amoxicillin trihydrate
+ Potassium clavulanate
For each dose, press
other side to release
your tablet
1000000143205


Augmentin
375 mg
Amoxicillin trihydrate
+ Potassium clavulanate
For each dose, press other side to release your tablet
1000000143206


Augmentin
375 mg
Amoxicillin trihydrate
+ Potassium clavulanate
For each dose, press other side to release your tablet
1000000143206

Augmentin™

amoxicillin + clavulanate potassium

20 tablets

5 050258 006243

375 mg

Augmentin™

amoxicillin + clavulanate potassium

20 tablets

安滅菌

錠375毫克

本藥須由醫師處方使用　衛署藥輸字第018155號

藥商：荷商葛蘭素史克藥廠股份有限公司台灣分公司

地址：台北市忠孝西路一段 66 號 24 樓

製造廠：SmithKline Beecham Ltd

廠址：Clarendon Road, Worthing, West Sussex, United Kingdom, BN14 8QH

M101-008-04

GlaxoSmithKline

375 mg

Augmentin™

amoxicillin + clavulanate potassium

20 tablets

375 mg

1000000
0115681

375 mg

Augmentin™

amoxicillin + clavulanate potassium

20 tablets

Each tablet contains 250 mg amoxicillin as amoxicillin trihydrate Ph. Eur. and 125 mg clavulanic acid as clavulanate potassium Ph. Eur.

To be used as directed by your physician.

Keep out of the reach of children.

Store in a dry place. Do not store above 25°C.

Manufactured by
SmithKline Beecham Ltd*
Worthing, UK
*Member of the GlaxoSmithKline group of companies

Augmentin is a trademark of the GlaxoSmithKline group of companies
© 2003 GlaxoSmithKline group of companies. All Rights Reserved

BN
MAN
EXP