
20 g Gel
For external use
Traumon® Gel 10%
Active Ingredient: Etofenamate
MEDA
1 g gel contains 100 mg Etofenamate
For the treatment of complaints caused by contusions
(e.g. sports injuries) and rheumatic diseases.
Apply Traumon Gel several times daily and massage
into the skin over as large an area as possible.
Keep out of reach of children.
Do not store above 25°C.
20 g Gel
N1
Traumon Gel 10%
Active Ingredient: Etofenamate
N1
20 g Gel
Traumon Gel 10%
Batch No.
Exp. Date
20 g Gel
Traumon Gel 10%
N1
20 g Gel
N1
Traumon® Gel 10%
Wirkstoff : Etofenamat
MEDA
1 g gel enthält 100 mg Etofenamat sowie
α-[Hexadecyl/(Z)-octadec-9-en-1-yl]-ω-hydroxypoly(oxyethylen)-8,Macrogol 400,
Natriumhydroxid, Carbomer 940,Propan-2-ol,Propylenglycol, gereinigtes Wasser
Enthält Propylenglycol. Packungsbeilage beachten.
Arzneimittel für Kinder unzugänglich aufbewahren!
Zur Anwendung auf der Haut
Apothekenpflichtig
Zul.-Nr.4704.00.00
MEDA Manufacturing GmbH, Neurather Ring 1, D-51063 Cologne Germany
MEDA