



SYKLOFOSFAMID
500 mg lagen. 10 x 500 mg

Directions for use: Reconstitute with 25 ml
Water for Injections shaking vigorously.
Do not warm. Solution stable for 12 hours.

106732-3

SYKLOFOSFAMID
500 mg lagen. 10 x 500 mg

Cyclophosphamid. 500 mg

Dosage as prescribed
by a physician.

Date of Expiry:

Batch No.:

Orion Corporation
Espoo, Finland



6 432 100 005 601



SYKLOFOSFAMID
500 mg lagen. 10 x 500 mg

Directions for use: Reconstitute with 25 ml
Water for Injections shaking vigorously.
Do not warm. Solution stable for 12 hours.

106732-3

SYKLOFOSFAMID
500 mg lagen. 10 x 500 mg

Cyclophosphamid. 500 mg

Dosage as prescribed
by a physician.

Date of Expiry:

Batch No.:

Orion Corporation
Espoo, Finland



6 432 100 005 601

SYKLOFOSFAMID 500 mg lagen.

Cyclophosphamid. 500 mg

To be used according to
physicians instructions.

Orion Corporation, Espoo, Finland

Date of Expiry:
Batch No.:

106731-2



SYKLOFOSFAMID 500 mg lagen.

Cyclophosphamid. 500 mg

To be used according to
physicians instructions.

Orion Corporation, Espoo, Finland

Date of Expiry:
Batch No.:

106731-2

