FNB4826

ยาสิ้นอายุ
5000 mL

Baxter

(APPROX 150 mL EXCESS)

DIANEAL Low Calcium (2.5 mEq/L) Peritoneal Dialysis Solution with 1.5% Dextrose

EACH 100 mL CONTAINS 1.5 g DEXTROSE HYDROUS USP; 538 mg SODIUM CHLORIDE USP; 448 mg SODIUM LACTATE; 18.3 mg CALCIUM CHLORIDE USP; 5.08 mg MAGNESIUM CHLORIDE USP; pH 5.2 (4.0 TO 6.5)

mEq/L SODIUM 132 CALCIUM 2.5 MAGNESIUM 0.5 CHLORIDE 95 LACTATE 40

OSMOLARITY 344 mOsmol/L (CALC)

STERILE NONPYROGENIC STORE BELOW 30º C SEE INSERT

POTASSIUM CHLORIDE TO BE ADDED ONLY UNDER THE DIRECTION OF A PHYSICIAN

FOR INTRAPERITONEAL ADMINISTRATION ONLY

CAUTIONS SQUEEZE AND INSPECT INNER BAG WHICH MAINTAINS PRODUCT STERILITY
DISCARD IF LEAKS ARE FOUND
DO NOT USE UNLESS SOLUTION IS CLEAR
DISCARD UNUSED PORTION
KEEP OUT OF REACH OF CHILDREN

BAXTER HEALTHCARE SA, SINGAPORE BRANCH **AMBU-FLEX** CONTAINER PL-146
2 WOODLANDS INDUSTRIAL PARK D STREET 2 SINGAPORE 737778
(AN AFFILIATE OF BAXTER HEALTHCARE CORPORATION USA)
BAXTER HEALTHCARE (M) SDN. BHD.
SUITE 12.01, LEVEL 12, THE GARDENS, SOUTH TOWER, MID VALLEY CITY, 59200 KUALA LUMPUR

SINGAPORE	**SIN6627P**	**MALAYSIA**	**MAL09062141X**	**THAILAND**	**2C64/45**
HONG KONG	**HK-33172**	**PHILIPPINES**	**DR-XY20803**	**VIETNAM**	**VN-10748-10**

DIRECTIONS TO BE USED AS DIRECTED BY PHYSICIAN 用法：請依照醫生指示使用
JAUHI DARIPADA KANAK-KANAK ยาอันตราย

"百特"含1.5%葡萄糖低鈣(2.5mEq/L) 腹膜透析液

本藥限由醫師使用
百特醫療產品股份有限公司

衛署藥輸字第022297號
台北市敦化南路2段216號15樓

다이아닐 저칼슘 피디액 1.5% 전문의약품 / 분류번호 349

원료약품의 분량 : 100 ml 중
포도당일수화물(USP) 1.5g 염화나트륨(USP) 538mg 젖산나트륨(USP) 448mg 염화칼슘(USP) 18.3mg
염화마그네슘(USP) 5.08mg
(총나트륨으로서 132mEq/L 총칼슘으로서 2.5mEq/L 총마그네슘으로서 0.5mEq/L
총염화물로서 95mEq/L 총젖산으로서 40mEq/L)
효능 및 효과 : 급 만성신부전 환자의 복막투석액
성상 / 용법 및 용량 : 첨부문서 참조 (주의 - 부작용)
포장단위 : 5000 ml/ 백 **저장방법** : 밀봉용기 냉암소 보관
제조번호 / 사용기한 : 별도 표시
제조원 : Baxter Healthcare SA, Singapore Branch (싱가포르)
수입자 : (주)박스터 서울시 중구 다동 10 한국관광공사빌딩 5 층 TEL 6262-7100

DIANEAL, AMBU-FLEX & PL-146 are trademarks of Baxter International Inc.

비닐류
PVC