

## Company Announcement

When a company announces a recall, market withdrawal, or safety alert, the FDA posts the company's announcement as a public service. FDA does not endorse either the product or the company.

# The Pictsweet Company Announces Voluntary Recall of Pictsweet Farms 12oz Breaded Okra due to Risk of Glass Contamination

## For Immediate Release

January 13, 2017

## Contact

### Consumers

Pictsweet

☎ 1-800-527-0986

## Announcement

[View Product Photos](#)

BELLS, TN: The Pictsweet Company is voluntarily recalling select packages of Pictsweet Farms 12 ounce Breaded Okra after the company learned that some packages may contain glass fragments, which could cause injury if ingested. There has been one minor injury reported in connection with this issue.

The recall impacts Pictsweet Farms 12 ounce Breaded Okra (UPC#: 0 70560 98377 8) with a "best if used by" date of Nov 3, 2018 and a production code of **3086B C, 3086B D, 3086B E, 3086B F, or 3086B G**. *This information is printed on the back panel of each package.*

The affected Breaded Okra product was distributed through retail stores across the United States. **No other Pictsweet Farms products are impacted by this recall.**

Consumers who purchased this product should discard them or return them to the store where they were purchased for a full refund.

We apologize for any concern or inconvenience this may have caused. **For additional information please contact Pictsweet consumer affairs line at: 1-800-527-0986 from 8am – 5pm CDT.**

###

Follow FDA

-  [Follow @US\\_FDA \(https://twitter.com/US\\_FDA\)](https://twitter.com/US_FDA)   
[\(/AboutFDA/AboutThisWebsite/WebsitePolicies/Disclaimers/default.htm\)](/AboutFDA/AboutThisWebsite/WebsitePolicies/Disclaimers/default.htm)
-  [Follow FDA \(https://www.facebook.com/FDA\)](https://www.facebook.com/FDA)   
[\(/AboutFDA/AboutThisWebsite/WebsitePolicies/Disclaimers/default.htm\)](/AboutFDA/AboutThisWebsite/WebsitePolicies/Disclaimers/default.htm)
-  [Follow @FDarecalls \(https://twitter.com/fdarecalls\)](https://twitter.com/fdarecalls)   
[\(/AboutFDA/AboutThisWebsite/WebsitePolicies/Disclaimers/default.htm\)](/AboutFDA/AboutThisWebsite/WebsitePolicies/Disclaimers/default.htm)
-  [Recent Recalled Product Photos on FDA's Flickr Photostream \(https://www.flickr.com/photos/fdaphotos/sets/72157663245186459/\)](https://www.flickr.com/photos/fdaphotos/sets/72157663245186459/)   
[\(/AboutFDA/AboutThisWebsite/WebsitePolicies/Disclaimers/default.htm\)](/AboutFDA/AboutThisWebsite/WebsitePolicies/Disclaimers/default.htm)

## Product Photos



## More in Recalls, Market Withdrawals, & Safety Alerts [\(/Safety/Recalls/default.htm\)](/Safety/Recalls/default.htm)

[Archive for Recalls, Market Withdrawals & Safety Alerts \(/Safety/Recalls/ArchiveRecalls/default.htm\)](/Safety/Recalls/ArchiveRecalls/default.htm)



[Enforcement Reports \(/Safety/Recalls/EnforcementReports/default.htm\)](/Safety/Recalls/EnforcementReports/default.htm)



[Industry Guidance \(/Safety/Recalls/IndustryGuidance/default.htm\)](/Safety/Recalls/IndustryGuidance/default.htm)

[Major Product Recalls \(/Safety/Recalls/MajorProductRecalls/default.htm\)](/Safety/Recalls/MajorProductRecalls/default.htm)

