

of Canada

du Canada

Canada

Canadian Food Inspection Agency (/eng/1297964599443/1297965645317) Home → About the CFIA (Canadian Food Inspection Agency) → Newsroom

→ Food Recall Warnings → Complete Listing → 2017-03-23

Food Recall Warning - Chef Destinations, Frankly Fresh Salads and Fresh St. (Street) brands Fresh Guacamole recalled due to Listeria monocytogenes

| Recall date: | March 23, 2017 | | |
|-----------------------------|---|--|--|
| Reason for recall: | Microbiological - Listeria | | |
| Hazard classification: | Class 1 | | |
| Company / Firm: | Frankly Fresh Salads Inc. (Incorporated), H.Y. Louie Co. (company) Ltd. (Limited) | | |
| Distribution: | British Columbia, Possibly National | | |
| Extent of the distribution: | Retail | | |
| Reference number: | 11282 | | |

Contents

- Recall details
- Recalled products
- What you should do
- Background
- <u>Illnesses</u>
- More information
- Photos
- Media enquiries

Recall details

Ottawa, March 23, 2017 - Industry is recalling Chef Destinations, Frankly Fresh Salads and Fresh St. (Street) brands Fresh Guacamole from the marketplace due to possible Listeria monocytogenes contamination. Consumers should not consume the recalled products described below.

Recalled products

| Brand Name | Common Name | Size | Code(s) on Product | UPC (Universal Product Code) |
|-------------------------|--------------------|------------------------|------------------------------------|------------------------------|
| Chef Destinations | Fresh Guacamole | 300 <u>g</u> (gram) | Best Before 17 MR (March) 22 | 7 76525 90905 9 |
| Frankly Fresh Salads | Fresh Guacamole | 300 g (gram) | Best Before 17 MR (March) 22 | 7 76525 90955 4 |
| Fresh St. (Street) | Fresh Guacamole | 300 <u>g</u> (gram) | Best Before 17 MR (March) 22 | 7 76525 90934 9 |

What you should do

If you think you became sick from consuming a recalled product, call your doctor.

Check to see if you have recalled products in your home. Recalled products should be thrown out or returned to the store where they were purchased.

Food contaminated with *Listeria monocytogenes* may not look or smell spoiled but can still make you sick. Symptoms can include vomiting, nausea, persistent fever, muscle aches, severe headache and neck stiffness. Pregnant women, the elderly and people with weakened immune systems are particularly at risk. Although infected pregnant women may experience only mild, flu-like symptoms, the infection can lead to premature delivery, infection of the newborn or even stillbirth. In severe cases of illness, people may die.

- <u>Learn more about the health risks (/food/information-for-consumers/fact-sheets-and-infographics/food-poisoning/eng/1331151916451/1331152055552)</u>
- Sign up for recall notifications by email, follow us on Twitter, or join the CFIA (Canadian Food Inspection Agency) community on Facebook (/about-the-cfia/newsroom/stayconnected/eng/1299856061207/1299856119191)
- View our detailed explanation of the food safety investigation and recall process (/food/information-for-consumers/food-safety-system/basichtml/eng/1374439778888/1374821384212)

Background

This recall was triggered by Canadian Food Inspection Agency (CFIA) test results. The CFIA (Canadian Food Inspection Agency) is conducting a food safety investigation, which may lead to the recall of other products. If other high-risk products are recalled, the CFIA (Canadian Food Inspection Agency) will notify the public through updated Food Recall Warnings.

The CFIA (Canadian Food Inspection Agency) is verifying that industry is removing recalled product from the marketplace.

IIInesses

There have been no reported illnesses associated with the consumption of these products.



For more information, consumers and industry can contact the CFIA (Canadian Food Inspection Agency) by filling out the online feedback form (/food/information-for-consumers/report-a-concern/contact-us/eng/1390269985112/1390346078752).

Product photos

Printer ready version of photos (?print=1#recall-photos)



(/DAM/DAM-recall-rappel/STAGING/images-images/20170323a 1490326479904 eng.jpg)



(/DAM/DAM-recall-rappel/STAGING/images-images/20170323b_1490326524522_eng.jpg)

Media enquiries

CFIA (Canadian Food Inspection Agency) Media Relations 613-773-6600

C Share this page

Date modified:

2017-03-23

