



[Canadian Food Inspection Agency \(/eng/1297964599443/1297965645317\)](#)

[Home](#) → [About the CFIA \(Canadian Food Inspection Agency\)](#) → [Newsroom](#)

→ [Food Recall Warnings](#) → [Complete Listing](#) → 2017-04-28

Updated Food Recall Warning - Mom's Pantry / Jim & Leonie brand 3" Unsweetened Tart Shells and 9" Unbaked Pie Lids recalled due to *E. (Escherichia) coli* O121

Recall date: April 28, 2017

Reason for recall: Microbiological - E. coli O121

Hazard classification: Class 2

Company / Firm: Mom's Pantry

Distribution: National

Extent of the distribution: Retail

Reference number: 11362

Contents

- [Recall details](#)
- [Recalled products](#)
- [What you should do](#)
- [Background](#)
- [Illnesses](#)
- [Related recalls](#)
- [More information](#)
- [Photos](#)
- [Media enquiries](#)

Recall details

Ottawa, April 28, 2017 - The food recall warning issued on April 25, 2017 has been updated to include additional product information. This additional information was identified during the Canadian Food Inspection Agency's (CFIA) food safety investigation.

Mom's Pantry is recalling Mom's Pantry / Jim & Leonie brand 3" Unsweetened Tart Shells and 9" Unbaked Pie Lids from the marketplace due to possible *E. (Escherichia) coli* O121 contamination. Consumers should not consume the recalled products described below.

Recalled products

Brand Name	Common Name	Size	Code(s) on Product	UPC (Universal Product Code)
Mom's Pantry / Jim & Leonie	3" Unsweetened Tart Shells	90 x 19 g (grams)	All units sold from December 1, 2016 up to and including April 28, 2017	None
Mom's Pantry / Jim & Leonie	9" Unbaked Pie Lids	15 x 142 g (grams)	All units sold from March 15, 2017 up to and including April 28, 2017	None

What you should do

If you think you became sick from consuming a recalled product, call your doctor.

Check to see if you have recalled products in your home. Recalled products should be thrown out or returned to the store where they were purchased.

It is not safe to taste or eat raw dough or batter regardless of the type of flour used, as raw flour can be contaminated with harmful bacteria such as *E. (Escherichia) coli* O121. Food contaminated with *E. (Escherichia) coli* O121 may not look or smell spoiled but can still make you sick. Symptoms can include nausea, vomiting, mild to severe abdominal cramps and watery to bloody diarrhea. In severe cases of illness, some people may have seizures or strokes, need blood transfusions and kidney dialysis or live with permanent kidney damage. In severe cases of illness, people may die.

- [Learn more about the health risks \(/food/information-for-consumers/fact-sheets-and-infographics/food-poisoning/eng/1331151916451/1331152055552\)](/food/information-for-consumers/fact-sheets-and-infographics/food-poisoning/eng/1331151916451/1331152055552)
- [Sign up for recall notifications by email, follow us on Twitter, or join the CFIA \(Canadian Food Inspection Agency\) community on Facebook \(/about-the-cfia/newsroom/stay-connected/eng/1299856061207/1299856119191\)](/about-the-cfia/newsroom/stay-connected/eng/1299856061207/1299856119191)
- [View our detailed explanation of the food safety investigation and recall process \(/eng/1374439778888/1374821384212\)](/eng/1374439778888/1374821384212)

Background

This recall was triggered by findings by the CFIA (Canadian Food Inspection Agency) during its investigation into a foodborne illness outbreak. The CFIA (Canadian Food Inspection Agency) is conducting a food safety investigation, which may lead to the recall of other products. If other high-risk products are recalled, the CFIA (Canadian Food Inspection Agency) will notify the public through updated Food Recall Warnings.

The CFIA (Canadian Food Inspection Agency) is verifying that industry is removing recalled products from the marketplace.

Illnesses

There have been reported illnesses associated with flour; however, at this time, there have been no confirmed illnesses associated with the products identified in this Food Recall Warning.

Related recalls

[2017-04-25 - Various brands of pie and tart shells recalled due to *E. \(Escherichia\) coli* O121 \(/about-the-cfia/newsroom/food-recall-warnings/complete-listing/2017-04-25/eng/1493171120459/1493171123038\)](#)

[2017-04-16 - Various brands of flour and flour products recalled due to *E. \(Escherichia\) coli* O121 \(/about-the-cfia/newsroom/food-recall-warnings/complete-listing/2017-04-16/eng/1492408217395/1492408220892\)](#)

[2017-04-12 - Various brands of flour and flour products recalled due to *E. \(Escherichia\) coli* O121 \(/about-the-cfia/newsroom/food-recall-warnings/complete-listing/2017-04-12/eng/1492038924857/1492038929165\)](#)

[2017-04-04 - Robin Hood brand All Purpose Flour, Original recalled due to *E. \(Escherichia\) coli* O121 \(/about-the-cfia/newsroom/food-recall-warnings/complete-listing/2017-04-04/eng/1491342892732/1491342895825\)](#)

[2017-03-28 - Robin Hood brand All Purpose Flour, Original recalled due to *E. \(Escherichia\) coli* O121 \(/about-the-cfia/newsroom/food-recall-warnings/complete-listing/2017-03-28/eng/1490721738461/1490721741554\)](#)

More information

Mom's Pantry: 1-800-350-6667


[Complete list of products recalled to the consumer level as part of this ongoing investigation. \(/food/information-for-consumers/food-safety-investigations/e-coli-o121/eng/1492621159359/1492621214587\)](#)

[Public Health Notice – Outbreak of *E. \(Escherichia\) coli* infections linked to various flours and flour products \(http://www.phac-aspc.gc.ca/phn-asp/2017/outbreak-ecoli-eng.php\)](#)


For more information, consumers and industry can contact the CFIA (Canadian Food Inspection Agency) by filling out the online feedback form ([//food/information-for-consumers/report-a-concern/contact-us/eng/1390269985112/1390346078752](http://food/information-for-consumers/report-a-concern/contact-us/eng/1390269985112/1390346078752)).

Product photos


Printer ready version of photos (?print=1#recall-photos)




[\(/DAM/DAM-recall-rappel/STAGING/images-images/20170428a_1493417963963_eng.jpg\)](http://DAM/DAM-recall-rappel/STAGING/images-images/20170428a_1493417963963_eng.jpg)



[\(/DAM/DAM-recall-rappel/STAGING/images-images/20170428b_1493417965151_eng.jpg\)](http://DAM/DAM-recall-rappel/STAGING/images-images/20170428b_1493417965151_eng.jpg)



[\(/DAM/DAM-recall-rappel/STAGING/images-images/20170428c_1493417965781_eng.jpg\)](http://DAM/DAM-recall-rappel/STAGING/images-images/20170428c_1493417965781_eng.jpg)



[\(/DAM/DAM-recall-rappel/STAGING/images-images/20170428d_1493417966599_eng.jpg\)](http://DAM/DAM-recall-rappel/STAGING/images-images/20170428d_1493417966599_eng.jpg)