

Average age of first illicit drug use experience among the sample aged 12-64, 2014

Variables	All participants (N=162) ^a			Teenager (N=14)			Adult (N=148) ^a		
	n	mean _(wt)	(SE)	n	mean _(wt)	(SE)	n	mean _(wt)	(SE)
Any substance use	158	21.2	0.80	14	11.0	1.82	144	21.7	0.81
Type of substance									
Superglue	12	13.0	1.01	2	3.6	2.86	10	13.9	1.53
Pentazocine	3	20.9	.	0	.	.	3	20.9	.
MDMA ^b	27	22.1	0.92	2	13.9	2.43	25	22.3	1.92
Nitrous oxide	17	17.3	2.06	6	8.7	2.46	11	19.0	1.43
PCP	2	11.4	.	0	.	.	2	11.4	.
Amphetamine ^c	73	21.5	1.27	1	16.0	.	72	21.6	1.28
LSD ^d	2	20.8	.	0	.	.	2	20.8	0.18
Heroin	26	23.9	1.30	0	.	.	26	23.9	1.35
GHB	4	19.3	.	0	.	.	4	19.3	4.02
Cannabis	28	24.6	1.32	0	.	.	28	24.6	1.32
Cocaine	4	21.9	0.90	0	.	.	4	21.9	1.08
Ketamine	45	21.8	0.87	5	15.6	0.40	40	22.1	1.11
PMMA	1	21.0	.	0	.	.	1	21.0	.
2C-B	0	.	.	0	.	.	0	.	.
FM2	16	31.1	2.36	0	.	.	16	31.1	2.42
Magu	0	.	.	0	.	.	0	.	.
5-MeO-DIPT	0	.	.	0	.	.	0	.	.
K2	2	19.4	.	0	.	.	2	19.4	1.64
Mephedrone	2	18.6	.	0	.	.	2	18.6	.
Bath Salts ^e	0	.	.	0	.	.	0	.	.
Methadone	10	34.0	1.25	0	.	.	10	34.0	1.13

^aThere are four missing values in the adult sample.

^bThere is a missing value in the adult sample.

^cThere are two missing values in the adult sample.

^dThere is a missing value in the adult sample.

^eThere is a missing value in the adult sample.